

From: ONR Land Use Planning <ONR-Land.Use-Planning@onr.gov.uk>
Sent: 13 May 2022 07:26
To: Planning
Subject: ONR Land Use Planning - Application Y/19/0257/FH
Attachments: EIA External Consult Letter 2022.pdf

Dear Sir/Madam,

With regard to planning application Y/19/0257/FH, ONR makes no comment on this proposed development as it does not lie within a consultation zone around a GB nuclear site.

You can find information concerning our Land Use Planning consultation process here: (<http://www.onr.org.uk/land-use-planning.htm>).

Kind regards,

Vicki Enston
Land Use Planning
Office for Nuclear Regulation
ONR-Land.Use-planning@onr.gov.uk

-----Original Message-----

From: F&HDC Development Management <otterpool.applications@folkestone-hythe.gov.uk >
To: onr-land.use-planning@onr.gov.uk;
Cc:
Sent: 29/04/2022 12:02
Subject: Y19/0257/FH Otterpool Park - Outline Planning Application

Dear Sir/Madam

Application No: Y19/0257/FH Otterpool Park - Outline Planning Application
Location: LAND BOUNDED BY; THE M20 AND CHANNEL TUNNEL RAILWAY LINK (CTRL) TO THE NORTH; THE A20/STONE STREET AND SANDLING PARK TO THE EAST; HARRINGE LANE TO THE WEST, AND; ALDINGTON ROAD TO THE SOUTH

The Local Planning Authority has received updates and amendments to the above planning application. Please find attached a consultation letter with further details enclosed.

Kind regards,
F&HDC Development Management

This email has come from an external sender outside of ONR. Do you know this sender? Were you expecting this email? Take care when opening email from unknown senders. This email has been scanned for viruses and malicious content, but no filtering system is 100% effective however and there is no guarantee of safety or validity. Always exercise caution when opening email, clicking on links, and opening attachments.

This email has been scanned for viruses and malicious content, but no filtering system is 100% effective and this is no guarantee of safety or validity.